




Cable Description	USB Version	ACON P/N:	Current Rating	Cable Length	Cable Ref/Adapter Ref	3D	Plug 1	Plug 2/Rcpt 2	E Marker	Remark	Dwg Rev
C-C	USB 2.0	CBAUB-C61-100A	3A	1m	CC2-3	 Locking Type 已開模	C Drawn (NBW31)	C Drawn (NBW31)	Not Req.	TID# 200,000,067	A
	USB 3.1 Gen1 (5Gbps)	CBAUB-C68-200A	3A	2m	CC3G1-3		C Drawn (NBW31)	C Drawn (NBW31)	Yes	Twisted-pairs wires, TID# 3200000026	X3
	USB 3.1 Gen2 (10Gbps)	CBAUB-C34-100A	5A	1m	CC3G2-5		C Drawn (NBW31)	C Drawn (NBW31)	Yes	Coaxial wires, TID# 5200,000182	X1
		CBAUB-CB8-100A	5A	1m	CC3G2-5		C Drawn (NBW31)	C Drawn (NBW31)	Yes	Overmold L30mm Coaxial wires, TID# 5200000721	X1
		CBAUB-C67-100A	5A	1m	CC3G2-5		C Drawn (NBW31)	C Drawn (NBW31)	Yes	Twisted-pairs wires, TID# 5200000181	X1
		CBAUB-H01-100A	5A	1M	CC3G2-5		C Drawn (NBW31)	C Drawn (NBW31)	Yes	Twisted-pairs wires, TID# 5280000181	X1
		CBAUB-H01-050A	5A	0.5M	CC3G2-5		C Drawn (NBW31)	C Drawn (NBW31)	Yes	Twisted-pairs wires, TID# 5290000181	X1
	CBATB-002-050A	5A	0.50m	CC3G2-5	C Drawn (NDW31)		C Drawn (NDW31)	Yes	Coaxial wires, TID# 5200000564	X1	
Type C to Legacy Cable	USB 2.0	CBAUB-C66-200A	3A	2m	AC2-3		NAW50	ABC002	Not Req.	TID#200000148	X1
		CBAUB-C50-100A	3A	1m	AC2-3		NBW31	UAW38	Not Req.	w/ ACON Std-A, slightly bigger overmold, TID# 200000061	A
		CBAUB-C44-100A	3A	1m	CμB2-3		C Drawn (NBW31)	Micro-B	Not Req.		X1
	USB 3.1 Gen1	CBAUB-C05-100A	3A	1m	AC3G1-3		C Drawn (NBW31)	TAW30	Not Req.	成型式	X7
		CBAUB-C26-100A	3A	1m	AC3G1-3		C Drawn (NBW31)	TAR70	Not Req.	膠殼式	X1
	USB 3.1 Gen2	CBAUB-CC7-100A	3A	1M	AC3G2-3	C Drawn (NBW31)	UAC-11916617	Not Req.	Twisted-pairs wires, TID# 5200000605	X1	
	USB 3.1 Gen2	CBAUB-CD4-100A	3A	1M	CμB3G2-3		C Drawn (NBW31)	MB1-11A36CK	Not Req.		X1

Cable Description	USB Version	ACON P/N:	Current Rating	Cable Length	Cable Ref/Adapter Ref	3D	Plug 1	Plug 2/Rcpt 2	E Marker	Remark	Dwg Rev
Type-C to Legacy Adapter	USB 2.0	CBAUB-C11-015A	3A	0.15 m	CμBR2-3		C Formed (NBW10)	Micro-B Rcpt	Not Req.		X5
	USB3.1 Gen1	CBAUB-C12w015A	3A	0.15 m	CAR3G1-3		NBW31	TAR2M	Not Req.	TID# 3,200,000,058	A
	USB3.1 Gen1	CBAUB-H12-015A	3A	0.15 m	CAR3G1-3		NBW31	TAR2M	Not Req.	TID# 3,280,000,058	X1
Type C to Micro-B Receptacle Adapter	USB 2.0	CBAUB-13-001A	3A	Adapter	CμBR2-3 Adapter		C Formed (NBW10)	Micro-B Rcpt	Not Req.		X1
Type C to 3.0 Std-A Receptacle Adapter	USB 3.1 Gen1	CBAUB-C14-001A	3A	Adapter	CAR3G1-3 Adapter		C Formed (NBW10)	Std-A Rcpt	Not Req.		X4
Type C Receptacle to 3.0 Std-A Plug Adapter	USB 3.1 Gen2	CBAUB-CD1-001A	3A	Adapter	XX		TAR70	NBR28	Not Req.	USB switch and CC-logic for USB Type C	X1
Type C Plug to Type C Receptacle Adaptor	USB 3.1 Gen2	CBAUB-C93-001A	5A	Adapter	XX		NBW31	NBR28	Not Req.	1對2.0信號	X1
Type C Plug to Type C Receptacle Cable	USB 3.1 Gen2	CBAUB-CD3-035A	5A	0.35M	XX		NBW50	NBR28	Not Req.	2對2.0信號	X1
Type C to Audio Jack Adapter	Audio	CBAUB-C25-015A	N/A	0.15 m	XX		C Formed (NBW10)	Audio Jack	Not Req.		X2
	Audio	CBAUB-C25-020A	N/A	0.20 m	XX		C Formed (NBW10)	Audio Jack	Not Req.		X2
Type C to DP Dongle	Video	XX	N/A	0.15 m	Dongle		C Drawn (NBW31)	DP Female	Not Req.	Cypress CCG2 成型式	

Cable Description	USB Version	ACON P/N:	Current Rating	Cable Length	Cable Ref/Adapter Ref	3D	Plug 1	Plug 2/Rcpt 2	E Marker	Remark	Dwg Rev
Type C to HDMI Dongle	Video	XX	N/A	0.15 m	Dongle		C Drawn (NBW31)	HDMI Female	Not Req.	DP alt-mode Cypress CCG2+PS171 外形未開	
Type C to HDMI Dongle	Video	XX	N/A	0.15 m	Dongle		C Drawn (NBW31)	HDMI Female	Not Req.	HDMI alt-mode Cypress CCG3	
Type C to RJ45 Dongle	Ethernet	XX	N/A	0.15	Dongle		C Drawn (NBW31)	RJ45 Female	Not Req.	現有外殼 10 / 100M	
Type C to HUB	USB DATA POWER	XX	N/A	0.15	HUB		C Drawn (NBW31)	A Female Type C Femal	Not Req.	外形未開	